



URSA TERRA Plus

Espesor 30 mm

Resistencia térmica 0,80 m²·K/W

Declaración Ambiental de Producto

Parámetro Evaluado	Unidad	Fabricación de los materiales			Fin de vida		
		Produccion	Transporte	Instalacion	Transporte	Proceso	Vertedero
		A1 a A3	A4	A5	C2	C3	C4
Global Warming Potential	Kg CO ₂ equiv.	1,09E+00	4,55E-01	1,16E-01	3,55E-03	0,00E+00	1,33E-02
Stratospheric Ozone Layer Depletion Potential	Kg CFC11 equiv.	6,99E-08	8,70E-10	1,23E-10	6,80E-12	0,00E+00	1,13E-10
Acidification Potential	Kg SO ₂ equiv.	6,26E-03	2,97E-03	3,64E-05	2,20E-05	0,00E+00	5,65E-05
Eutrophication Potential	Kg PO ₄ ³⁻ equiv.	8,22E-04	4,72E-04	2,19E-04	3,47E-06	0,00E+00	7,46E-06
Abiotic Resource Depletion Potential	Kg Sb equiv.	8,52E-03	3,06E-03	3,34E-05	2,39E-05	0,00E+00	5,05E-05
Photochemical Ozone Formation Potential	Kg ethane equiv.	4,51E-04	2,68E-04	3,49E-05	1,86E-06	0,00E+00	8,98E-06
Consumption of renewable primary energy	MJ (lower heating value)	2,58E+00	1,19E-02	3,57E-03	9,27E-05	0,00E+00	7,36E-03
Consumption of non-renewable primary energy	MJ (lower heating value)	2,02E+01	6,39E+00	7,42E-02	4,99E-02	0,00E+00	1,09E-01
Use of non-renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Fresh water consumption	m ³	9,10E-03	1,87E-04	6,29E-05	1,47E-06	0,00E+00	1,81E-04
Waste production:	Kg	1,68E+00	2,07E-02	1,69E-01	1,61E-04	0,00E+00	6,96E-01
· hazardous	Kg	6,39E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· non hazardous	Kg	1,68E+00	2,07E-02	1,69E-01	1,61E-04	0,00E+00	6,96E-01
· radioactive	Kg	9,21E-04	1,15E-05	2,16E-08	9,04E-08	0,00E+00	0,00E+00
Output materials for	Kg	8,41E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Reusing	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Recycling	Kg	8,41E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Energy Recovery	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00