



URSA TERRA en ROLLO

Espesor 45 mm

Resistencia térmica 1,25 m²·K/W

Declaración Ambiental de Producto

Parámetro Evaluado	Unidad	Fabricación de los materiales			Fin de vida		
		Produccion	Transporte	Instalacion	Transporte	Proceso	Vertedero
		A1 a A3	A4	A5	C2	C3	C4
Global Warming Potential	Kg CO ₂ equiv.	1,20E+00	5,02E-01	1,28E-01	3,91E-03	0,00E+00	1,46E-02
Stratospheric Ozone Layer Depletion Potential	Kg CFC11 equiv.	7,71E-08	9,60E-10	1,35E-10	7,50E-12	0,00E+00	1,25E-10
Acidification Potential	Kg SO ₂ equiv.	6,93E-03	3,27E-03	4,01E-05	2,42E-05	0,00E+00	6,23E-05
Eutrophication Potential	Kg PO ₄ ³⁻ equiv.	9,12E-04	5,21E-04	2,41E-04	3,83E-06	0,00E+00	8,22E-06
Abiotic Resource Depletion Potential	Kg Sb equiv.	9,38E-03	3,37E-03	3,69E-05	2,64E-05	0,00E+00	5,57E-05
Photochemical Ozone Formation Potential	Kg ethane equiv.	4,98E-04	2,96E-04	3,85E-05	2,06E-06	0,00E+00	9,90E-06
Consumption of renewable primary energy	MJ (lower heating value)	3,08E+00	1,31E-02	3,93E-03	1,02E-04	0,00E+00	8,12E-03
Consumption of non-renewable primary energy	MJ (lower heating value)	2,23E+01	7,05E+00	8,18E-02	5,51E-02	0,00E+00	1,21E-01
Use of non-renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Fresh water consumption	m3	1,01E-02	2,07E-04	6,94E-05	1,62E-06	0,00E+00	2,00E-04
Waste production:	Kg	1,87E+00	2,28E-02	1,87E-01	1,78E-04	0,00E+00	7,67E-01
· hazardous	Kg	7,06E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· non hazardous	Kg	1,86E+00	2,28E-02	1,87E-01	1,78E-04	0,00E+00	7,67E-01
· radioactive	Kg	1,02E-03	1,27E-05	2,38E-08	9,96E-08	0,00E+00	0,00E+00
Output materials for	Kg	9,33E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Reusing	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Recycling	Kg	9,33E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Energy Recovery	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00