



URSA TERRA Vento

Espesor 50 mm

Resistencia térmica 1,35 m²·K/W

Declaración Ambiental de Producto

Parámetro Evaluado	Unidad	Fabricación de los materiales			Fin de vida		
		Produccion	Transporte	Instalacion	Transporte	Proceso	Vertedero
		A1 a A3	A4	A5	C2	C3	C4
Global Warming Potential	Kg CO ₂ equiv.	2,33E+00	8,45E-01	2,17E-01	6,59E-03	0,00E+00	2,47E-02
Stratospheric Ozone Layer Depletion Potential	Kg CFC11 equiv.	1,30E-07	1,62E-09	2,28E-10	1,26E-11	0,00E+00	2,11E-10
Acidification Potential	Kg SO ₂ equiv.	1,26E-02	5,52E-03	6,76E-05	4,09E-05	0,00E+00	1,05E-04
Eutrophication Potential	Kg PO ₄ ³⁻ equiv.	1,50E-03	8,77E-04	4,07E-04	6,46E-06	0,00E+00	1,39E-05
Abiotic Resource Depletion Potential	Kg Sb equiv.	1,86E-02	5,69E-03	6,21E-05	4,44E-05	0,00E+00	9,40E-05
Photochemical Ozone Formation Potential	Kg ethane equiv.	8,94E-04	4,99E-04	6,50E-05	3,46E-06	0,00E+00	1,67E-05
Consumption of renewable primary energy	MJ (lower heating value)	2,76E+00	2,20E-02	6,63E-03	1,72E-04	0,00E+00	1,37E-02
Consumption of non-renewable primary energy	MJ (lower heating value)	4,41E+01	1,19E+01	1,38E-01	9,28E-02	0,00E+00	2,03E-01
Use of non-renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Fresh water consumption	m ³	6,33E-01	3,48E-04	1,17E-04	2,73E-06	0,00E+00	3,37E-04
Waste production:	Kg	3,03E+00	3,84E-02	3,14E-01	2,99E-04	0,00E+00	1,29E+00
· hazardous	Kg	1,31E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· non hazardous	Kg	3,02E+00	3,84E-02	3,14E-01	2,99E-04	0,00E+00	1,29E+00
· radioactive	Kg	1,68E-03	2,15E-05	4,01E-08	1,68E-07	0,00E+00	0,00E+00
Output materials for	Kg	1,54E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Reusing	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Recycling	Kg	1,54E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Energy Recovery	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00