



URSA TERRA Vento

Espesor 40 mm

Resistencia térmica 1,10 m²·K/W

Declaración Ambiental de Producto

Parámetro Evaluado	Unidad	Fabricación de los materiales			Fin de vida		
		Produccion	Transporte	Instalacion	Transporte	Proceso	Vertedero
		A1 a A3	A4	A5	C2	C3	C4
Global Warming Potential	Kg CO ₂ equiv.	1,95E+00	6,83E-01	1,75E-01	5,33E-03	0,00E+00	1,99E-02
Stratospheric Ozone Layer Depletion Potential	Kg CFC11 equiv.	1,05E-07	1,31E-09	1,84E-10	1,02E-11	0,00E+00	1,70E-10
Acidification Potential	Kg SO ₂ equiv.	1,04E-02	4,46E-03	5,46E-05	3,30E-05	0,00E+00	8,49E-05
Eutrophication Potential	Kg PO ₄ ³⁻ equiv.	1,20E-03	7,09E-04	3,29E-04	5,22E-06	0,00E+00	1,12E-05
Abiotic Resource Depletion Potential	Kg Sb equiv.	1,58E-02	4,60E-03	5,02E-05	3,59E-05	0,00E+00	7,59E-05
Photochemical Ozone Formation Potential	Kg ethane equiv.	7,55E-04	4,03E-04	5,25E-05	2,80E-06	0,00E+00	1,35E-05
Consumption of renewable primary energy	MJ (lower heating value)	2,66E+00	1,78E-02	5,36E-03	1,39E-04	0,00E+00	1,11E-02
Consumption of non-renewable primary energy	MJ (lower heating value)	3,76E+01	9,60E+00	1,11E-01	7,50E-02	0,00E+00	1,64E-01
Use of non-renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Fresh water consumption	m ³	6,30E-01	2,82E-04	9,45E-05	2,21E-06	0,00E+00	2,72E-04
Waste production:	Kg	2,43E+00	3,10E-02	2,54E-01	2,42E-04	0,00E+00	1,05E+00
· hazardous	Kg	1,09E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· non hazardous	Kg	2,42E+00	3,10E-02	2,54E-01	2,42E-04	0,00E+00	1,05E+00
· radioactive	Kg	1,35E-03	1,73E-05	3,24E-08	1,36E-07	0,00E+00	0,00E+00
Output materials for	Kg	1,23E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Reusing	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Recycling	Kg	1,23E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Energy Recovery	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00