



URSA TERRA Vento

Espesor 60 mm

Resistencia térmica 1,65 m²·K/W

Declaración Ambiental de Producto

Parámetro Evaluado	Unidad	Fabricación de los materiales			Fin de vida		
		Produccion	Transporte	Instalacion	Transporte	Proceso	Vertedero
		A1 a A3	A4	A5	C2	C3	C4
Global Warming Potential	Kg CO ₂ equiv.	2,70E+00	1,01E+00	2,58E-01	7,85E-03	0,00E+00	2,94E-02
Stratospheric Ozone Layer Depletion Potential	Kg CFC11 equiv.	1,55E-07	1,93E-09	2,72E-10	1,51E-11	0,00E+00	2,51E-10
Acidification Potential	Kg SO ₂ equiv.	1,49E-02	6,58E-03	8,06E-05	4,87E-05	0,00E+00	1,25E-04
Eutrophication Potential	Kg PO ₄ ³⁻ equiv.	1,80E-03	1,05E-03	4,85E-04	7,70E-06	0,00E+00	1,65E-05
Abiotic Resource Depletion Potential	Kg Sb equiv.	2,14E-02	6,78E-03	7,41E-05	5,30E-05	0,00E+00	1,12E-04
Photochemical Ozone Formation Potential	Kg ethane equiv.	1,04E-03	5,95E-04	7,74E-05	4,13E-06	0,00E+00	1,99E-05
Consumption of renewable primary energy	MJ (lower heating value)	2,99E+00	2,63E-02	7,90E-03	2,05E-04	0,00E+00	1,63E-02
Consumption of non-renewable primary energy	MJ (lower heating value)	5,07E+01	1,42E+01	1,64E-01	1,11E-01	0,00E+00	2,42E-01
Use of non-renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Fresh water consumption	m3	6,36E-01	4,15E-04	1,39E-04	3,25E-06	0,00E+00	4,02E-04
Waste production:	Kg	3,63E+00	4,58E-02	3,75E-01	3,57E-04	0,00E+00	1,54E+00
· hazardous	Kg	1,54E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· non hazardous	Kg	3,62E+00	4,58E-02	3,75E-01	3,57E-04	0,00E+00	1,54E+00
· radioactive	Kg	2,01E-03	2,56E-05	4,78E-08	2,00E-07	0,00E+00	0,00E+00
Output materials for	Kg	1,84E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Reusing	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Recycling	Kg	1,84E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Energy Recovery	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00