



URSA TERRA Vento

Espesor 80 mm

Resistencia térmica 2,20 m²·K/W

Declaración Ambiental de Producto

Parámetro Evaluado	Unidad	Fabricación de los materiales			Fin de vida		
		Produccion	Transporte	Instalacion	Transporte	Proceso	Vertedero
		A1 a A3	A4	A5	C2	C3	C4
Global Warming Potential	Kg CO ₂ equiv.	3,46E+00	1,33E+00	3,41E-01	1,04E-02	0,00E+00	3,89E-02
Stratospheric Ozone Layer Depletion Potential	Kg CFC11 equiv.	2,05E-07	2,55E-09	3,59E-10	1,99E-11	0,00E+00	3,32E-10
Acidification Potential	Kg SO ₂ equiv.	1,93E-02	8,69E-03	1,07E-04	6,44E-05	0,00E+00	1,66E-04
Eutrophication Potential	Kg PO ₄ ³⁻ equiv.	2,39E-03	1,38E-03	6,41E-04	1,02E-05	0,00E+00	2,18E-05
Abiotic Resource Depletion Potential	Kg Sb equiv.	2,70E-02	8,96E-03	9,79E-05	7,00E-05	0,00E+00	1,48E-04
Photochemical Ozone Formation Potential	Kg ethane equiv.	1,32E-03	7,86E-04	1,02E-04	5,46E-06	0,00E+00	2,63E-05
Consumption of renewable primary energy	MJ (lower heating value)	3,58E+00	3,47E-02	1,04E-02	2,71E-04	0,00E+00	2,16E-02
Consumption of non-renewable primary energy	MJ (lower heating value)	6,40E+01	1,87E+01	2,17E-01	1,46E-01	0,00E+00	3,20E-01
Use of non-renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Fresh water consumption	m ³	6,43E-01	5,49E-04	1,84E-04	4,30E-06	0,00E+00	5,31E-04
Waste production:	Kg	4,84E+00	6,05E-02	4,95E-01	4,72E-04	0,00E+00	2,04E+00
· hazardous	Kg	1,99E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· non hazardous	Kg	4,81E+00	6,05E-02	4,95E-01	4,72E-04	0,00E+00	2,04E+00
· radioactive	Kg	2,68E-03	3,38E-05	6,32E-08	2,65E-07	0,00E+00	0,00E+00
Output materials for	Kg	2,46E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Reusing	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Recycling	Kg	2,46E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Energy Recovery	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00