



URSA TERRA Vento R

Espesor 40 mm

Resistencia térmica 1,05 m²·K/W

Declaración Ambiental de Producto

Parámetro Evaluado	Unidad	Fabricación de los materiales			Fin de vida		
		Produccion	Transporte	Instalacion	Transporte	Proceso	Vertedero
		A1 a A3	A4	A5	C2	C3	C4
Global Warming Potential	Kg CO ₂ equiv.	1,77E+00	4,20E-01	1,08E-01	3,28E-03	0,00E+00	1,23E-02
Stratospheric Ozone Layer Depletion Potential	Kg CFC11 equiv.	6,46E-08	8,04E-10	1,13E-10	6,28E-12	0,00E+00	1,05E-10
Acidification Potential	Kg SO ₂ equiv.	8,46E-03	2,74E-03	3,36E-05	2,03E-05	0,00E+00	5,23E-05
Eutrophication Potential	Kg PO ₄ ³⁻ equiv.	7,43E-04	4,36E-04	2,02E-04	3,21E-06	0,00E+00	6,89E-06
Abiotic Resource Depletion Potential	Kg Sb equiv.	1,50E-02	2,83E-03	3,09E-05	2,21E-05	0,00E+00	4,67E-05
Photochemical Ozone Formation Potential	Kg ethane equiv.	6,59E-04	2,48E-04	3,23E-05	1,72E-06	0,00E+00	8,30E-06
Consumption of renewable primary energy	MJ (lower heating value)	3,77E+00	1,10E-02	3,30E-03	8,57E-05	0,00E+00	6,81E-03
Consumption of non-renewable primary energy	MJ (lower heating value)	3,56E+01	5,91E+00	6,85E-02	4,62E-02	0,00E+00	1,01E-01
Use of non-renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels	MJ (lower heating value)	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Fresh water consumption	m ³	1,39E+00	1,73E-04	5,82E-05	1,36E-06	0,00E+00	1,68E-04
Waste production:	Kg	1,49E+00	1,91E-02	1,56E-01	1,49E-04	0,00E+00	6,43E-01
· hazardous	Kg	8,99E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· non hazardous	Kg	1,48E+00	1,91E-02	1,56E-01	1,49E-04	0,00E+00	6,43E-01
· radioactive	Kg	8,30E-04	1,07E-05	1,99E-08	8,35E-08	0,00E+00	0,00E+00
Output materials for	Kg	7,38E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Reusing	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Recycling	Kg	7,38E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
· Energy Recovery	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00